## IN THE CLAIMS:

## Please amend Claims 1-6 as follows:

- 1. [Amended] An apparatus for processing signals, comprising parameter control
  means for controlling parameters of said signals, said parameter control means being adapted to
  cause adjustments to said parameters in response to one of: current ambient factors and properties
  of said signals, wherein the apparatus further comprises indicator means for presenting a level
  indicator which is indicative of said adjustments.
  - 2. [Amended] An apparatus as claimed in claim 1, further comprising user control means for setting a preferred parameter level to be input into said parameter control means, wherein said preferred parameter level is selected by a user from a plurality of parameter levels, said parameter control means being adapted to compute said adjustments as a function of said preferred parameter level and said one of: current ambient factors and properties of said signals.
- 3. [Twice Amended] An apparatus as claimed in claim 1, wherein said signals comprise video signals, wherein said parameters comprise picture parameters and wherein said current ambient factors comprise ambient light.
- 133 wat

1

2

3

4

5

4. [Amended] A television receiver comprising an apparatus as claimed in claim 1.

5. [Amended] A method for processing signals, comprising a step of controlling parameters of said signals by determining adjustments in response to one of: current ambient factors and properties of said signals, wherein the method further comprises a step of presenting a level indicator which is indicative of said adjustments.

6. [Amended] A method as claimed in claim 5, further comprising the steps of:

selecting a preferred parameter level from a plurality of parameter levels;

setting said selected preferred parameter level; and

computing said adjustments as a function of said selected preferred parameter level and said

one of: current ambient factors and properties of said signals.

## Please add new Claims 7-20 as follows:

- 134 24 24 3
- 7. [New] An apparatus as claimed in claim 2, wherein said signals comprise video signals, wherein said parameters comprise picture parameters and wherein said current ambient factors comprise ambient light.
- 1 8. [New] An apparatus as claimed in claim 7 wherein said picture parameters comprise 2 one of: luminance, contrast, and brightness saturation.

1	9. [New]	An apparatus as claimed in claim 3 wherein said picture parameters comprise
2	one of: luminance, contrast, and brightness saturation.	
·		
1 24 /1	10. [New]	A television receiver comprising an apparatus as claimed in claim 2.
34 H	11. [New]	A television receiver comprising an apparatus as claimed in claim 3.
1	12. [New]	A method as claimed in claim 6 wherein said signals comprise video signals,
2	wherein said parameters comprise picture parameters and wherein said current ambient factors	
3	comprise ambient light.	
•		
1	13. [New]	A method as claimed in claim 12 wherein said picture parameters comprise
2	one of: luminance, co	entrast, and brightness saturation.
	-	
1	14. [New]	A method as claimed in claim 5 wherein said signals comprise video signals,
2	wherein said parameters comprise picture parameters and wherein said current ambient factors	
3	comprise ambient light.	
1	15. [New]	A method as claimed in claim 14 wherein said wherein said picture parameters
2	comprise one of: luminance, contrast, and brightness saturation.	

A method of operating a television receiver comprising a method as claimed 1 [New] in claim 5. A method of operating a television receiver comprising a method as claimed 17. [New] in claim 6. 2 1 A method of operating a television receiver as claimed in claim 16 wherein 2 said signals comprise video signals, wherein said parameters comprise picture parameters and 3 wherein said current ambient factors comprise ambient light. 1 [New] A method of operating a television receiver as claimed in claim 18 wherein 2 said wherein said picture parameters comprise one of: luminance, contrast, and brightness saturation. 1 A method of operating a television receiver as claimed in claim 17 wherein 2 said signals comprise video signals, wherein said parameters comprise picture parameters and 3 wherein said current ambient factors comprise ambient light.